

GoggleGear™ 6000 Series

Description

The 3M™ GoggleGear™ 6000 Series is a larger-profile goggle design that features models with 3M™ Scotchgard™ Anti-Fog Coating, or Traditional Anti-Fog & Anti-Scratch coating. All models come with indirect venting to help reduce fogging. Both adjustable nylon fiber cloth strap, or neoprene strap, are available within the 3M™ GoggleGear™ 6000 Series.

Key Features

- Absorbs 99.9 % UVA and UVB
- Cloth strap
- Wraparound lens
- Large profile goggle







3M Personal Safety Division

Product Number	3M I.D. Number	UPC	Description
GG6001SGAF-BLK	70-0717-3188-2	50051131278986	3M™ GoggleGear™ 6000 Series, Black Shroud, Scotchgard™ Anti-Fog Coating, Clear AF-AS Lens
GG6001SGAF-GRN	70-0717-3189-0	50051131278917	3M™ GoggleGear™ 6000 Series, Green Shroud, Scotchgard™ Anti-Fog Coating, Clear AF-AS Lens
GG6001SGAF-RED	70-0717-3190-8	50051131278993	3M™ GoggleGear™ 6000 Series, Red Shroud, Scotchgard™ Anti-Fog Coating, Clear AF-AS Lens
GG6001NSGAF-BLU	70-0717-3193-2	50051131279013	3M™ GoggleGear™ 6000 Series, Blue Shroud, Scotchgard™ Anti-Fog Coating, Clear AF-AS Lens
GG6001AF-GRY	70-0717-3192-4	50051131279006	3M™ GoggleGear™ 6000 Series, Gray Shroud, Clear Anti-Fog/Anti-Scratch Lens
GG6001SGAF-LENS	70-0717-3226-0	50051131279358	3M™ GoggleGear™ 6000 Series, Scotchgard™ Anti-Fog Coating, Clear AF-AS Replacement Lens




Approximate Weight				
Eyewear	83 g (2.9 oz)			
Approximate Physical Dimension				
Lens (Top)	170 mm			
Lens (Height)	77 mm			
Material Composition				
Lens	Polycarbonate (clear)			
Shroud	TPE			
Frame	Polypropylene			
Strap (clips)	Polypropylene			
Strap (cloth)	Polyester			
Strap (neoprene)	Neoprene/isoprene			
Strap (buckle)	Polymethoxylene			

Regulatory/Standards (Markings)

• ANSI Z87.1-2015 (3M Z87+ U6 D3 D4) - Indirectly Vented Version

Representative Transmittance Spectrum (200 - 2000 nm)



ANSI Z87.1 Transmittance Requirement Classification			
Visible Light Filter (380 - 780 nm)	Clear		
Ultraviolet Filter (200 - 380 nm)	U6		
Infrared Filter (780 - 2000 nm)	Not rated		
Welding Filter	Not rated		

Other Noted Ratings

Impact: Z87+Splash: D3Dust: D4

Storage

Eyewear should be stored between temperatures of 50 °F (10 °C) and 86 °F (30 °C), in dry conditions with no chemical exposure, out of any direct exposure to radiation (sunlight, IR, UV, etc.), and in non-abrasive environments.

Cleaning

Thoroughly clean all surfaces with a mild soap solution and lukewarm water, then rinse. Dry with a soft cloth or tissue. Do not use any solvents on these lenses.

Product Number	3M I.D. Number	UPC	Description
GG6002SGAF-BLK	70-0717-3191-6	50051131278924	3M™ GoggleGear™ 6000 Series, Black Shroud, Scotchgard™ Anti-Fog Coating, Gray AF-AS Lens




Approximate Weight				
Eyewear	83 g (2.9 oz)			
Approximate Physical Dimension				
Lens (Top)	170 mm			
Lens (Height)	77 mm			
Material Composition				
Lens	Polycarbonate (Gray)			
Shroud	PVC			
Frame	Polypropylene			
Strap (clips)	Nylon			
Strap (cloth)	Polyester			
Strap (neoprene)	Neoprene/Isoprene			
Strap (buckle)	Polymethoxylene			

Regulatory/Standards (Markings)

• ANSI Z87.1-2015 (3M Z87+ U6 D3 D4) - Indirectly Vented Version

Representative Transmittance Spectrum (200 - 2000 nm)



ANSI Z87.1 Transmittance Requirement Classification				
Visible Light Filter (380 - 780 nm)	L3			
Ultraviolet Filter (200 - 380 nm)	U6			
Infrared Filter (780 - 2000 nm)	Not rated			
Welding Filter	Not rated			

Other Noted Ratings

• Impact: Z87+

• Splash: D3

• Dust: D4

Storage

Eyewear should be stored between temperatures of 50 °F (10 °C) and 86 °F (30 °C), in dry conditions with no chemical exposure, out of any direct exposure to radiation (sunlight, IR, UV, etc.), and in non-abrasive environments.

Cleaning

Thoroughly clean all surfaces with a mild soap solution and lukewarm water, then rinse. Dry with a soft cloth or tissue. Do not use any solvents on these lenses.



IMPORTANT NOTE

Before use, the wearer must read and understand the User Instructions provided as part of the product packaging.

Personal Safety Division

3M Center, Building 235-2W-70 St. Paul, MN 55144-1000

3M PSD products are occupational use only.

In United States of America

Technical Service: 1-800-243-4630 Customer Service: 1-800-328-1667

3M.com/workersafety
In Canada

Technical Service: 1-800-267-4414 Customer Service: 1-800-364-3577 3M.ca/Safety © 3M 2019. All rights reserved.
3M, GoggleGear, and Scotchgard are trademarks of 3M Company and its affiliates.
Used under license in Canada.
All other trademarks are property of their respective owners.
Please recycle.

