


# HELIX<sup>®</sup> 1075



Innovation intertwined with full-range safety. That's the DNA of the Helix<sup>®</sup> Series. The Helix<sup>®</sup> 1075 features a 13-gauge HPPE/polyester/fiberglass blend shell, combining comfort and durability with a reliable level of cut and puncture protection.

The sandy nitrile palm coating delivers solid grip and abrasion resistance in dry or wet situations.

## Protection zones



	ANSI/ISEA 105-2024 CUT	<b>A4</b>
	ANSI/ISEA 105-2024 GRAM SCORE	<b>1862</b>
	ANSI/ISEA 105-2024 PUNCTURE	<b>3</b>
	ANSI/ISEA 105-2024 ABRASION	<b>5</b>
	ANSI/ISEA 105-2024 CONTACT HEAT	<b>2</b>
	EN388:2016+A1:2018	<b>Pending</b>

## Attributes

<b>Shell:</b>		13G HPPE/ polyester/ fiberglass
<b>Coating:</b>	Material:	Sandy Nitrile
	Finish:	Textured
	Weight:	Medium
	Breathability:	Good
	Flexibility:	Good
	Grip:	Dry, oil, or wet
<b>Sizes:</b>		5/XXS through 12/3XL



Touchscreen

## Product features

- 13-gauge HPPE/polyester/fiberglass blend shell
- Flexible sandy nitrile palm coating provides superior grip and abrasion resistance
- Black palm coating hides dirt and soil
- Touchscreen capabilities
- Elastic knit wrist helps prevent dirt and debris from entering the glove
- High dexterity and tactility
- Seamless construction for enhanced comfort and breathability
- Launderable for extended life
- Vend-packed

Call **1.877.MY ARMOR** or visit **hexarmor.com**

HexArmor<sup>®</sup> products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change. Protected by patents and patents pending.

UVEX SAFETY GROUP GmbH & Co. KG, parent company of HexArmor<sup>®</sup>, has achieved a Gold EcoVadis Rating, placing us in the top 5% of sustainable suppliers globally.

